Integrate voxibot with chatbot:

In next steps we illustrate how to integrate with Watson engine which is the same way for other engines, just changing some credentials to validate whatever your engine is.

Our chatbot here will be based on Watson

First of all, create an account for Watson engine to get some credential that we need to set and connect between voxibot and chatbot engine, click here to create your account https://watson-conversation.ng.bluemix.net/login ,

When you succeed to create an account next step is to create a workspace with your account and next create the first chatbot to test your system

1. After you log in, click on proceed to start.

k	About your IBMid Account Privacy
h	his notice provides information about accessing your IBMid user account (Account). If you ave previously been presented with a version of this notice, please refer to "Changes since he previous version of this notice" below for information about the new updates.
	+ Changes since the previous version of this notice
	+ What data does IBM collect?
	+ Why IBM needs your data
	+ How your data was obtained
	+ How IBM uses your data
	+ How IBM protects your data
	+ How long we keep your data
Y	/our rights
P	ur Privacy Statement provides more information about your personal data rights. It also rovides contact information if you have questions or concerns regarding our handling of your ersonal data.
ļ	Acknowledgement
	acknowledge that I understand how IBM is using my Basic Personal Data and I am at least 6 years of age.
Ī	Proceed Cancel Sign In

2. We need to find a proper tool to build our chatbot, go to Dashboard on left the choose Watson in the bottom.

<				Catalog	Dees Supp	08. M
Cloud Foundry						
Cantations	COMPANY OF A DATA DATA DATA DATA				_	
Maduches .		coations v All categories v Filter by reverses name			Grou	-
Vitane						
) durificant	r app development					
AM1						
Apple bewingment		ution? Hit the ground turning with one of our IDM is that remains and sensiti cloud solution		0		222
Apple Development 🐃	stototype to protection with the click of a bu . You can also check out our solation tatorial					*
thokheir				Ľ.		٣.
ethokchein Devitps				•	¥	₩,
blickbein Deutips Minance					 ▲	₩.
thickchain Develops Minance Punctions			ter and		A	₩.
Mickhein Derbpi Hinnon Ruccloss Telepiso	. You can also check out our solution tatolal	is that powelde read-averial closet solution	Exist with 1		×	₩.
Mickhair Derba Hinnos Ruccios Ingene Robe	 You can also check out our solution fatolial salid, dopley, and scale ion - 10H implement communications patterns based 	In that provide real-world cloud solution	Starter Kit - Liter Servic Accelerator your AL	nn - 13M	build smarter	₩.
Mickhain Devitori Finance Mickins Mickins Mickins Mickins	- You can also check out our solution fatorial solid, deploy, and scale to	In their provide work work doord solution	State Kit - Die Servic	nn - 13M	a bolid smarter	.

Last update: 2018/05/31 developer_guide:connect_your_chatbot:watson:start https://wiki.voximal.com/doku.php?id=developer_guide:connect_your_chatbot:watson:start&rev=1527775172 13:59

3. Here as you see click **Get Start** to launch your own chatbot.

😑 🖄 ISH Cloud			Contraction Could Date Support Hanage
Dervers Starter Kits Rotson Services - Rossectanizes Examp Services	Build with Watson The AI platform for business		·F
Developer Resources * Desumentation 100% Learning Resources	ď	e	4
A201	Build a chattot	Extract insights owry the news is understand had inplice, semiment and news.	Convert audio into text Convert speech in maltiple languages into text.
	actuared	Out Stand	Cel Starbed View all Starber KDs C Environ all Starborn versions C

4. We will use Lite option in our example it is limited and it has 30 days to keep your work up. On right bottom click on Create.

Pricing Play	ns		forstilg private alterativate for security, or neglite	Esem
	P.44	1041040	P803H0	
1	1.0m	Material Califying Handle Space I Distances optics and Station Optics IS Intelline POST processing material sale only	Fas	
	mang hows, arended a	tarberetti 12,000 HT oduzer motti storozet. Ant eller on ogjadi te 19 Matarbitetti H. Aya ellerettiriy	and pervice the shore ment, when	
	Instant	Unbinded MPI sponter per manih 1920-021 Wirkshold 1930-0200000000 040-020000000000 Bernet Public Danih 99605 (manage mathad sails only	KLOCH CHIMAN AF	
	Panian	Premiair Pleasur-Ber associations and regularizations a chight to incluses a drawn there: Waters another to find the matchine servedure. There also well as works and a single the drawn patterns, we want as works and an original take under and it and. An increast-terminal of the address personneyses, val. New Americanism and the served personneyses, val.	ed ultraj	

5. Before you launch the platform, have a look to your credential.copy your credential

Username/password and paste them on proper places in Root.vxml file (you can see at the end of this Doc). After that press on Launch test.

≡ ≧ ISH Gaud		tatalog bees feyewi Hanaja 😭
Manage Service residentials Mar connectives	Vene (Watson Assistant (formerly Conversation)-oy teaters Unite Gaster Og int 2010grant and Teaters dick here to start your chatbot For same with the series.	Past for United
	Todomini	
	<pre>{ 'enl': "Hetm://primey.astronylations.est/enuistant/ad", 'enterna': " 2 1 }</pre>	These are the credentials, copy them and past them in voxibot and root.vxmi file as well

6. Create a Workspace to communicate with during your test, by this workspace you will get the response, and you will understand how voximal assistant helpful and easy to use.

2025/06/24 19:56

3/6

The ordering IBM Watson Assistant Prever Connected a bandinger unpellythen yes had and used or true and and used as the outer's well?	
Three easy steps Transition of the state and a statement. 1 Crease increase and extension of the statement of the s	anish hun ine Bitty year failing Cycle for and a ward in the fact is sentencing years the senten scaled line of the Crossian Tradesic Lines rector
Get started now	
13H Watson Aaalstant	© O
nome Wofespices	
Come Come <td< td=""><td>Warson Assistant Bornardy Conversation-vy Owner</td></td<>	Warson Assistant Bornardy Conversation-vy Owner
Truct the USER Section is ensering to individualization to using the new offer the out-offer the new oper- term the out-offer	un hir par ner yr olas lins ar dar Indana. Canlae Pedra west

7. Put the language of your chatbot, it is up to you. A **remark**, choose the right language which you want to interact with.

IIIM Weison Ansistant		
Here Weinpase		
Workspaces Create a workspace	×	
Cer Dechtcord - Serreite Wekspaces enable you to maintain separate intents, user examples, entities, and dalage for each use or application		
Verse Colored a Colored and Co		
Description Edit Concele		
Genue Courte		
Spenish Lawrither Becard Inte Spenish Proch		
Table 1 Control of Con		
leparea		

8. On the left click on Deploy and as you can see, we need Workspace ID to add it in voxibot file "root.vxml". this ID to push us to specific chatbot that we choose.

\equiv	19P1 Netson Analistant	0 0
\mathbf{x}	Michiganies (analisis lead) Display	Ches
3 X =	Onderstand Workspace ID needs to be added in root.vxmi file, 2 root.vxmi Verkspace Details 2 root.vxmi rome metric metric Verkspace ID needs to be added in root.vxmi rome metric Portuges ID root.vxmi Markspace ID Verkspace rome metric metric Portuges ID root.vxmi	
	Service Credentials	Hange contentials [2]
	Stradard same Waldard Readard (for york by Strawesation)-wy	
	Codedital tarine Daenane Pariner I Adorgeneraled tentias diversitation experimentation experimentation	

9. The way to set the rules in chatbot is same for any language, so you can follow Watson documentation on this website

https://www.ibm.com/blogs/nordic-msp/get-started-building-chatbots-using-watson-bluemix/

Now form voxibot side:

In this side we need to adapt our watson credential in easy way inside Voxibot, then by finishing these next steps we will be able to talk to our chatbot thanks to voximal voice assistant. **Note**, We deal with Arabic language as we will see.

Let's start step by step

Note : Each step you edit or add something new you should do save/submit the apply config

1. To start configuring our voxibot firstly, go to **settings** then **voximal settings** to adjust our settings.

	System Oy	Advanta SP Settings	- 2		Tole	phony Statistics		0
,	Velcome to	Visional Landings	2	Talaphany +	Trunks (Report	Tranks Office	Active Calls	- 1
Test : Call +33(0)	972 538 82	and enter your PDI 5314		Uptime -				
Summary		Sysinic spelated 0 secures age		Citerio a				- 0
laisphory .				010 +				- 14
and and	*	System Alerta No ortical issues found		Memory #				
Not Server Netpreter	1	PEO GEOLIAI INNUME NUME		and other the second se				
and and	~			Obd v				- 12
here are 5 had destination			•	Network T				
	Steel.			Acres 1				
					Inte	rpreter Statistics		0
	Uptin	10	.0					~
	Sectors Local D	and the second se				Sensions Status		
	Bysilens Last Referenced 4 minutes, 40 seconds, app			Period				
	1.00000.0000	conds, age		Pred.				
Load Averages				Opened: 0	Erm: 4	Reference #	Has Duretiene Os	
0.02	0.11							
1 démute	i Minut				,	luenage Counters		
				beauting .				1.9
				Ountion: 0.0		Income: 0.00	CAPS: 0.00	

2. As shown below choose your API, in our case **HTTP or MRCP** which easy and support Arabic. Just copy and paste the link in **URI** http://tts6.i6net.org/tts/acapela/tts.php. **Pay attention** to format (alaw), save and apply config after finishing.

TTP or MIGP TTP or MIGP TTP or MIGP TTP or MIGP TTP or MIGP	elementation (_			
tp:/tail.idnet.org/tailca HOST GET ASTER	poinita.php	3					
HIST GET ANTO	lesk.						
	_	nam the shell					
ute surit pas	star olan i	tan da she					
			·				
	4						
Tes							
Tes lie							
	To D	Tra D	Teo 0	Ten 😐	Ten 💼	Ten 💼	10 E

3. We need API recognition engine to print out and translate our input as a text to be understood by the chatbot. You need to have a credential key for Google or your favorite provider. There are other engines can provide recognition features that depend on the quality and the language support.

2025/06/24 19:56

General Syn	GS 1 thesis Recognition License Call Test	
Recognition		
API*®	Google Speech API	
Key 🤨	AlzaSyCbg9yNqJI3uE5 3	

4. Create an account to assign it to a Number, this account will connect to the database to communicate with the chatbot, **URL** is the source where our essentials file located. set the speech to **Automatic** to avoid any issues,

Vasimal Connectivi	ny V Reports V Settings V Apply Config
1	7
Voximal Applicat	lion
2 Accounts Editor	
Edit Application	
The fields marked with	can not be left in blank.
Name*® 3	demo_server
url: 9 4	https:// source.file /vami/chatbo/ Select •
Max Sessions [©]	
Dial Format 9	
Mark 9	5
Speech 9	Emulation No Yes Anternatic
Speech Provider 9	
Max time (s)	
Session parameter 9	
Start delay (ms) 9	500
Save Changes Del	ete

5. Set a call number to our account that just created, give it any number and name, the important part here is to set **destination**. it will be **voximal application** and link it to the account name that should appear on the list because we just made it **(demo_server)**

Vertical Connections 2 to	parts I Serlings I Appleton
Route: de Turks Itbot	6
Delete Route demo chatbot	
Edit Incoming Route	
Description 9:	3 dens chattor
DID Number [®]	4 3808
CallerID Number 9	
CID Priotity Route .	
Options	
Aiert Info 9:	
CID name pretx.	
Signal RINGING Sci.	
Reject Reverse Charges ⁰	
Pause Before Answer 9:	
Privacy	
Privacy Manager 9:	No. *
Set Destrution	
Volinal Application · demo_serve	· ·
Submit Clear Destination & Info	

6. There are two files need to adapt to our case **root.vxml** and **conversation_watson.vxml** For the root file set the language that you want and supported by the provider (engine). also Because we use Watson so our credential will be Watson credential, we explain how to get these credential from Watson in the top of this page. in addition, By setting your email address you can have the results of your calls and your communication logs with the chatbot.

Sproperty name-"timesul" value-"104"/>
Sproperty complete timesol* values "700ms"/>
<pre>sproperty name="continuetimeout" value="5#"/></pre>
<pre>cproperty name-"maxapeechtimeout" white-"ime"/></pre>
<pre>«3== GALL configuration ==></pre>
<pre>kmr same-"caller" expr-freesion.connection.remote.uri/></pre>
Same some "called" expression.connection.lonal.uri?/>
<pre>war_some='id' cmpr='telephone.id'/*</pre>
<pre><mr copr-"tolephone.param"="" sum-"param"=""></mr></pre>
Corr Lass-"lass/lass" exp-""""/>
<pre>war_some="timesmon" opp:=""Burge/Baris""/></pre>
<pre>sur sum="destination" expr="1""/></pre>
Char sime-"perfile" exp-""3""/>
<pre>disc BAIS configuration ==></pre>
Char Loss-Tamer orpo-Troczeco 1/2 2
Cost some "lang" septer" an "// I Longson ((r, es, es, es)>
<pre>sar same Getector opro false //stine Annecing Hachine Detector (false.trad)==></pre>
- curr namewelcomer copr-""Cotte appel sens enregistos afin d\"ambiliorer la réponse de notre agent virtuel.""//-d Molcome mennage -
Constant Constant (2)
<pre>star same*set6* dop;r**false*/s dop;side(same*set);</pre>
Char sum-Table Table Table 72
And the state of the state of the
cast same="logs" expc="see krrsp@"/>
CARL DEFE TWEET THE TOTAL STATE
they non- "genries" expre-0//s
To send results to your Email
that some "address" second if shales, for Bigsail. out "/>
That have "key" excert horees"/s
car same-firmat' expr-"opp"/>
<pre>site OWING configuration ***</pre>
coar same-"chatbet" expe-"'wsteen'"/>
(1 Halogflow Rough)> 1
<pre>sproperty mass* sufferingtion* values*Bears StoldStendate('saled'dice(t)/sde*/st) Worldt></pre>
<pre>sime Waters ==z</pre>
sproperty name-"authorization" sales="\$P0blood-disensation auto::Capazzeord/k"/> <t segmameoparatood="" values"=""></t>
char ster-"werkspide" expe-"1172 Workspide ID 229467a817/2

7. In **conversation_watson** put the language as you configure in root file. This depends on which workspace ID you want to communicate with.



From: https://wiki.voximal.com/ - Voximal documentation Permanent link: https://wiki.voximal.com/doku.php?id=developer_guide:connect_your_chatbot:watson:start&rev=1527775172 Last update: 2018/05/31 13:59

