

===== ==== Headline

IBM Watson ====

Integrate voxibot with chatbot:

In next steps we illustrate how to integrate with Watson engine which is the same way for other engines, just changing some credentials to validate whatever your engine is.

Our chatbot here will be based on Watson

First of all, create an account for Watson engine to get some credential that we need to set and connect between voxibot and chatbot engine, click here to create your account https://watson-conversation.ng.bluemix.net/login ,

When you succeed to create an account next step is to create a workspace with your account and next create the first chatbot to test your system

1. After you log in, click on proceed to start.

and the second
notice provides information about accessing your IBMid user account (Account). If you
e previously been presented with a version of this notice, please refer to "Changes since
previous version of this notice" below for information about the new updates.
Changes since the previous version of this notice
What data does IBM collect?
Why IBM needs your data
How your data was obtained
How IBM uses your data
How IBM protects your data
How long we keep your data
ır rights
Privacy Statement provides more information about your personal data rights. It also
ides contact information if you have questions or concerns regarding our handling of your onal data.
knowledgement
knowledge that I understand how IBM is using my Basic Personal Data and I am at least ears of age.
Proceed Cancel Sign In

2. We need to find a proper tool to build our chatbot, go to Dashboard on left the choose Watson in the bottom.

×				Catalog I	Diese	Import	н
2 Clear Franks							
Containers		071007				_	
Distant and		coations v All-takepoles v Filter by reversor name				Croatie N	
- VHame							
1 Detternt	r app development						
E ARI	r app development		•				
Apple Development	 prototype to production with the click of a loc You can also check out our solation tatolal 	ution? Hit the ground running with one of our IDM		0			2
B Blokhán		0					
		0	" 6_ "		_		•
D ₁ Develop		•		•	-		•
C) develops		•		•	-		•
Di devetari El ricence El ruccione	wild, deploy, and scale	Canata enterprise-level and apps	batrum vi		-		•
R stukter G berton D musion D musion B tempera P mole	saild, deploy, and scale	•	Build with We				•
C) develop C) marco D) marcione B) marcione	our-13H complement common patients based	Costs comprise level web uppe	Starter Kit - Die Services Ausselersatie pour AL de	- 1394	build se	- antor	•
D) Dertpi D) Trance D) Nuccion B) Trapico B) Trapico B) Trapico P) Nucleo	tere-1894	Create enterprise-level aub spps Senar W. Us Seniors- 194	Starter Hit - LiterServices	- 1394	build or	••••••••	•

3. Here as you see click Get Start to launch your own chatbot.


tarter Kits	Build with Watson		
House bendom - House letting Housing Services	The AI platform for business		
Desumentation		1 _	
Learning Resources	e P		
04	Build a chattot	Extract insights overy the news to understand but topics, settiment and rears.	Convert audio into text Convert speech is multiple languages into text.

4. We will use Lite option in our example it is limited and it has 30 days to keep your work up. On right bottom click on Create.

Pricing Plans	,	tenthy prices also many to smootly or segior Deep
1.44	154740	P8296
	H (2005-029) Schlager Manstell Schlar I Stanformern Schlar ist Tamach Schlar 21 Schlar 1962 (stanage schlar ist alls only	Pase -
ineting Prove	antimale devicements (EUX) est colourer month scina-cast. And when one capacity to weathed legal. Sector an administration (M legal ethicacture).	and perior thep-show minit, edites,
Desired	Definition RFI spectra per vanish (pd-s) Winterstein (pd-s) Winterstei	elocal distriction
Posision	Partial Parcello Insciences and operations a single to indexe a decar loss of the Particle sciences in the balance and social. They also are set on space to character a decar al science particles, as and as and as and as any part decarded and 4 met. In a manufacture of the particles approximately, vet the all methods are an experiment.	ed ning

5. Before you launch the platform, have a look to your credential.copy your credential Username/password and paste them on proper places in Root.vxml file (you can see at the end of this Doc). After that press on Launch test.

2025/06/25 21:11



6. Create a Workspace to communicate with during your test, by this workspace you will get the response, and you will understand how voximal assistant helpful and easy to use.

107 VIII-le Audual	6
Tritochesing IBM Watson Assistant Please Towarder A and leger organization on the anti-sec 42	
Three easy steps	
Create internet and excision Build your fields Demonstrating on the antidate of build internet by provided Particle provided internet by provided i	for a state of the first state of the first of the
Get started now	
10H Watson Asolutant	00
Nome Workspace	
Workspaces	United Assistant Formatly Conversation)-oy Drange
Car Examples of Astrophysics Car Examples of Astrophysics Sector States and the growth and t	
Try out the lottest losteres at merage to hold straid anothere to series, the series of the first is to at does the same approaching over Laster Roce <u>Locater Roce</u>	ner grenhe inv arvier interes.
IBM	Cashio Preferences

7. Put the language of your chatbot, it is up to you. **A remark**, choose the right language which you want to interact with.

IIIM Watson Assistant		
Name Washipatas		
Workspaces Create a workspace Create a workspace Create a workspace Wekspaces enable (or to minimis separate intents, user examples, withite, and dalling for each use or application. News and the set of the s	×	at (kaw
Contractor Contra]	
Funch Ration Journe		

8. On the left click on Deploy and as you can see, we need Workspace ID to add it in voxibot file "root.vxml". this ID to push us to specific chatbot that we choose.

Last update: 2018/05/31 developer_guide:connect_your_chatbot:watson:start https://wiki.voximal.com/doku.php?id=developer_guide:connect_your_chatbot:watson:start&rev=1527775339 14:02

\equiv	30H Matson Assistant		0 6
	Warkspaces / and/or leaf.) Deploy		Oter
đ		Workspace ID needs to be added in root.vxml file,	
	Mississen Patala	copy it and past in root.vemi	
	Warkspace Morkspace ID rome and/cited	Nonspore URL Mapping URL Mapping Systems water platform, entities interfugily (), werkspo Apping Statistical (recomp)	
	Service Credentials		Manage contentials 127
	Tarrahor canno		
	Walson Resistant (for new ly Conversation)-oy		
	Condential same	Disertative Pa	ecosorial and a second s
	Auto-generated sension credentials	and the second sec	

9. The way to set the rules in chatbot is same for any language, so you can follow Watson documentation on this website

https://www.ibm.com/blogs/nordic-msp/get-started-building-chatbots-using-watson-bluemix/


Now form voxibot side:

In this side we need to adapt our watson credential in easy way inside Voxibot, then by finishing these next steps we will be able to talk to our chatbot thanks to voximal voice assistant. **Note**, We deal with Arabic language as we will see.

Let's start step by step

Note : Each step you edit or add something new you should do save/submit the apply config

1. To start configuring our voxibot firstly, go to **settings** then **voximal settings** to adjust our settings.



2. As shown below choose your API, in our case **HTTP or MRCP** which easy and support Arabic. Just copy and paste the link in **URI** http://tts6.i6net.org/tts/acapela/tts.php. **Pay attention** to format (alaw), save and apply config after finishing.

/oximal Setting	95 1 6	
_	Benis Recognition Lioneen Call Test	
Synthesis		
APT®	иттромнор 1	
URI-®	http://tail.idvet.org/tericospeie/ta.php 3	
Method ®	NUT GET ANTENN	
Format®	were a working press and a set a s	
H.	4	
Kay ⁰		
User®		
Password ®		
'wbice [©]		
SSML®	70 10	
Cache opeing ^Q	4	
Call prompt [®]	Tes Ba	

3. We need API recognition engine to print out and translate our input as a text to be understood by the chatbot. You need to have a credential key for Google or your favorite provider. There are other engines can provide recognition features that depend on the quality and the language support.

oximal Set	tings 1	
General	Synthesis Recognition License Call Test	
Recognition		
API* 🛛	Google Speech API	
Key 🤨	AlzaSyCbg9yNqJI3uEE 3	

4. Create an account to assign it to a Number, this account will connect to the database to communicate with the chatbot, **URL** is the source where our essentials file located. set the speech to **Automatic** to avoid any issues,

*	Vasimal Connec	ctivity V Reports V Settings V Apply Config
	1	7
	Voximal Applic	ation
	2 Accounts Ed	itor
	Edit Application	
	The fields marked w	th * can not be left in blank.
	Name* 0	demo_server
	URL"	4 https://source.file /vemi/charbo/ Select •
	Max Sessions 9	
	Dial Format 9	
	Mark 9	5
	Speech 9	Emulation No Yes Automatic
	Speech Provider ⁶	
	Max time (s)	
	Session parameter	
	Start delay (ms) 9	500
6	Save Changes	Dulete

5. Set a call number to our account that just created, give it any number and name, the important


part here is to set **destination**. it will be **voximal application** and link it to the account name that should appear on the list because we just made it ******(demo_server)******

Turine 1 Committing 7	Reports I Servings I	Apply Config
2 Sunters	6	
Route: dt Turks Itbot		
Delete Route demo chatbot		
Edit Incoming Route		
Description .	3 dens chattor	_
DID Number 9	4 300	
	4 300	_
CallertD Number ®		
CID Priority Route 9:		
Options		
Aiert Info®:		
GID name prets.		
Signal RING INS .		
Reject Reverse Charges		
Pause Before Anneer 9		
Privacy		
Privacy Manager 9:	No. +	
Set Destination		
5 Vosinal Application . deno_ser	ver T	
6 Indenti Clear Destination & S	alouit	

6. There are two files need to adapt to our case **root.vxml** and **conversation_watson.vxml** For the root file set the language that you want and supported by the provider (engine). also Because we use Watson so our credential will be Watson credential, we explain how to get these credential from Watson in the top of this page. in addition, By setting your email address you can have the results of your calls and your communication logs with the chatbot.

-post em	40 1
	Sproperty near-"timeset" value-"104"/5
	Sproperty name maple to the second values "700ms" /s
	<pre>sproperty name="continuetimeout" value="5a"/></pre>
	(property name-manapeechimeout; white-"18"/>
	et== GALL configuration ==>
	<pre>cmar same-toslies* expr-teesios.connectios.remote.usi*/></pre>
2.6	Corr some "sulled" suprementer. connection.logal.usi?/>
	<pre>war same="id" capre"tellephone.id"/></pre>
	<pre>cmar mass-*param* copr-*telephone.param*/></pre>
2.9	Const and - Tanatian' experiments
	<pre>inar same="timernee" copr="imernee/Berie"/></pre>
	<pre>cmar mmeriderimation* copre*****/></pre>
	Contraction-"peofile" expertition
	<pre>star BAIS configuration +>></pre>
	<pre><mail "="" "name"="" cope="" here="" roting"=""></mail> 2</pre>
	Sand Annual Lang" or profile 1 / 2 - Long ange (fr. sa. sa. ar) - 2
	<pre>smar base debector copre false //sels= Answering Machine Debector Ifalse.trade=>></pre>
	<pre>cmm mame-t_welcome* copr-**Cette appel secs exceptate afin dy/ambiliorer is réponse de notre agent virtual.**/s(++ Welcome message ++></pre>
	Care asses "weighted" (D
	<pre>"mar some""echo" expc+"false"/></pre>
	<pre>cmar hume='record' supr='tras'/> Cmar hume='record' supr='tras'/> Cmar hume='record' supr='tras'/> </pre>
	CONTRACT, MADE, PROFILE
	Char home""loge" opport here Arres O"/>
	Char Anne-Tangit and - Tang
	ther some "marine" error 10/12
	Co-Emile configuration To send results to your Email
	Contractions opposite states () ()
	"Not seen" buy " expression of the
	Char assestinguit according 1/2
	Contraction of the second
	eler OMATBOT configuration ===
	case same-"chathet" exce-"restame"/>
	*! HalogElow (Gogle)
	<pre>cproperty name=" sufferingtion" values"Bears Dividious.http://www.http://ww www.http://w www.http://www</pre>
58	
3.9	ci Wataon>
60	<pre>sproperty name="witherization" sales="\$0050ed=0.00000000 **** ***********************</pre>
61.	char some-werkspace* sout-**A122 Werkspace (D 22HETAS**/>
82	

7. In **conversation_watson** put the language as you configure in root file. This depends on which workspace ID you want to communicate with.



From: https://wiki.voximal.com/ - Voximal documentation

Permanent link:

https://wiki.voximal.com/doku.php?id=developer_guide:connect_your_chatbot:watson:start&rev=1527775339

Last update: 2018/05/31 14:02

