

< script >

Description

The <script> element includes a block of client-side script. Each <script> element is executed in the scope of its containing element; i.e., it does not have its own scope. Variables defined in the <script> element are equivalent to variables defined using <var> within the same scope.

Syntax

```
<script
src="URI"
charset="Encoding"
fetchhint="prefetch" | "safe"
fetchtimeout="time_interval"
maxage="time_interval"
maxstale="time_interval">
Script Text
</script>
```

Attributes

src	The src attribute is the URI specifying the location of the external script. This attribute is optional.
charset	The charset attribute is character encoding if external script is used. This attribute is optional.
fetchtimeout	The fetchtimeout attribute is the time interval to wait for audio file to be fetched before playing the alternate content. This attribute is optional.
fetchhint	The fetchhint defines when the audio file should be retrieved. This attribute is optional. * prefetch - the audio file may be downloaded when the page is loaded. * safe - the audio file loads only when needed.
maxage	The maxage attribute indicates the maximum time in seconds that this document will use this script file before fetching another copy. This attribute is optional.
maxstale	The maxstale attribute indicates the maximum time in seconds that this document will use a script file that has exceeded the maxage time. This attribute is optional.

Parents

```
<block>, <catch>, <error>, <filled>, <form>, <help>, <if>, <menu>,  
<noinput>, <nomatch>, <vxml>
```

Children

None.

Extensions

None.

Limitations/Restrictions

None.

Example Code

```
<?xml version="1.0"?>
<vxml version="2.0" xmlns="http://www.w3.org/2001/vxml">
  <script>
    <![CDATA[
      function alwaysTrue() {
        // no need to escape the following less than sign
        return 1 < 2;
      }
    ]]>
  </script>
  <block>
    <prompt>
      Hello
    </prompt>
    <prompt cond="alwaysTrue">
      I am always here
    </prompt>
  </block>
</vxml>
```

NOTE:

It is wise to put CDATA escapes around your scripts so you don't have to escape XML reserved characters (eg. <, >, &, etc).

From:

<https://wiki.voximal.com/> - **Voximal documentation**

Permanent link:

https://wiki.voximal.com/doku.php?id=developer_guide:voicexml_references:elements:script

Last update: **2015/10/27 21:44**

