
Overview



About Voxibot project:

Voxibot is a service that contains several packages and resources can help a customer to launch voice assistant. for their services with high performance and less complicated than voximal. which consumes time to configure it and to reach the voxibot performance. with voxibot solution all resources that customers need are pre-configured. such as TTS/STT engines and telephony trunk, voxibot solution interface does not require pre-experience with IVR to interact and handle services. one of many voxibot features you can connect to chatbot that you want. Ulex Innovative System care about the satisfaction of customers by increasing the performance and facilitate the process, as a result, we made voxibot solution.

Voxibot stracture:

It has a unique composition based on the next:

- Unordered List Itemhttps://wiki.voximal.com/doku.php?id=installation_guide:start (Voximal software)
- Asterisk server
- FreePBX
- TTS/STT engines
- telephony trunk

What is chatbot ?

After we talk about Voxibot now we will know how to use it and integrate with chatbot service, before that we can explain what chatbot is.

It is an assistant service that interacts and communicates with users through text messages,voice message, a virtual companion that integrates into websites, applications or instant messengers and helps to get businesses closer to customers. Such a bot is an automated system of communication with users. It is an opportunity for all businesses to increase productivity or transactions with their customers, by facilitating access or response.

Some bots are limited to a group of rules which are already created to respond to specific commands or context. If the condition does not exist then it will not respond to that specific commands.

Why we need chatbot ?

There are factors that motivate and lead people to use chatbots:

- **Productivity.** Chatbots provide the assistance or access to information quickly and efficiently to users.
- **Entertainment.** Chatbots make some fun to people by giving them funny tips, they also help killing time when users have nothing to do.
- **Curiosity.** The novelty of chatbots lead to curiosity. People want to explore their abilities and to try something new.
- **Social and relational factors.** Chatbots enhance social experiences. Chatting with bots also helps to avoid loneliness, gives a chance to talk without being judged and improves conversational skills.

Now after we have fully understood what is voxibot and chatbot we can start how to get them work together.

Integrate voxibot with chatbot:

In next steps we illustrate how to integrate with Watson engine which is the same way for other engines, just changing some credentials to validate whatever your engine is.

Our chatbot here will be based on Watson

First of all, create an account for Watson engine to get some credential that we need to set and connect between voxibot and chatbot engine, click here to create your account https://watson-conversation.ng.bluemix.net/login ,

When you succeed to create an account next step is to create a workspace with your account and next create the first chatbot to test your system

1. After you log in, click on proceed to start.

This notice provides information about accessing your EBMid user account (Account). If you have previously been presented with a version of this notice, please refer to "Changes since the previous version of this notice" below for information about the new updates.
+ Changes since the previous version of this notice
+ What data does IBM collect?
+ Why IBM needs your data
+ How your data was obtained
+ How IBM uses your data
+ How IBM protects your data
+ How long we keep your data
Your rights
Our Privacy Statement provides more information about your personal data rights. It also provides contact information if you have questions or concerns regarding our handling of your personal data.
Acknowledgement
I acknowledge that I understand how IBM is using my Basic Personal Data and I am at least 16 years of age.

2. We need to find a proper tool to build our chatbot, go to Dashboard on left the choose Watson in the bottom.

×			Catalog Doos Support H
Cloud Foundry			
Containers	CONTRACTOR AND DESCRIPTIONS AND		
Distant and		ocations v All-takepoles v Filter by resource name	Ensels seaso
- Vitane			
Durfount	r app chronicpresent		
AND AND			
Apple Development 🚥	prototype to production with the click of a bu- . You can also check out our solation tatotal	ution? Hit the ground running with one of our 20M	
8. Mickhair	C TOD CAR AND CHECK OUT OUT DOUBTON CARONE		
		¢-	
- Develop		-	
) owner I minance		0	
) berten I minance D munchine	saild, deploy, and scale	Create enterprise-level sub-type	
3 develor 3 million 9 million 9 million			Edit vitit Vatura General (1) Section (19)
5 develari 3 minutos 5 minutos 9 minutos 9 minutos 9 minutos	suits, deploy, and scale top-10H simplement communications, based	Coaste enterprise-level and-appe	Starter Kit - Disclamices - 13H Accelerate your AL development to build senarity
 Bitokhnin Dentpi Trianol Practices Seegan Practice Security Venco 	selici, deploy, and scale	Cause enterprise-level sub-spp: Searce W. U.S. Sanitas- 194	Starter Kit - Lite Services - 13M

3. Here as you see click **Get Start** to launch your own chatbot.

kervies karter Kits	Build with Watson		
Hast Services - Researciestes	The A1 platform for business		VCF
relape Resources		_	
20% Learning Resources	e	œ	J.
24	Build a chatbot Center a chatbat to interact with your contenens.	Extract insights Query file nexts is understand but topics, sentiment and every.	Convert audio into text. Convert speech is multiple languages into text.
_	Bertatarian	ON TANKS	Cost Started

4. We will use Lite option in our example it is limited and it has 30 days to keep your work up. On right bottom click on Create.

Last update: 2018/05/31 developer_guide:voxibot_overview https://wiki.voximal.com/doku.php?id=developer_guide:voxibot_overview&rev=1527773603 13:33

Painter Plane			
Pricing Plans			Hundrig privas alterentaris for senerity or segme Essent
	PLAN	10/040	P802H0
1	L fa	MARTHEARY Galaxyan Baselor Up for Litherhopmony Up for 2011 Database Up for 2011 Database UP (62) (manager marked sails andy	~
	mang toway arenched a	antonadi 11.000 MT calcum modi atoo-cal. Antonimus cagod 92 Maharadar M Aya atoochaty	through percent the particle stands with the
	Deviced	United tell generating and a generating of the second seco	COCHE CRAM-LAP
	Partico	Provide PlancePer Intelligence and regulations a site instance of even in their Witten a source for instance mode. Thereaders with a model in the observations of the partners are also a next to and an opposite factor and it with the instance for model. It is a set to and a second to a set it is a second to model on the partners and a set it is a second to model.	los old redoling Alla is tonal?


5. Before you launch the platform, have a look to your credential.copy your credential Username/password and paste them on proper places in Root.vxml file (you can see at the end of this Doc). After that press on Launch test.

≡ ≧ ISH Genel		tataing toos Support Hanage
Ranage Genius societais Rat Connections	Venue (Watson Assistant (formerly Conversation)-oy teaters United Cogilier Org. drift 2000 grant terr dick here to start your dick here to st	Plan for Unput
	Codurini	These are the credentials, copy them 8
	"ref": "Https://priesp.anteroletions.ent/estatut/ad". "anteron": "Anteron": " 1 5	and past them in voxibot and root.vxml file as well

6. Create a Workspace to communicate with during your test, by this workspace you will get the response, and you will understand how voximal assistant helpful and easy to use.

2017 VICLO Reddard	đ
Introducing IBM Watson Assistant	
Three easy steps The second state and a state at the sta	control from the angle of the state of the s
Get started now reserver.com	0 0
Norm Workspaces	Water Assistant Formuly Conversation Compo- Disage.
registrice to instructing topolaria analogous and can be a conversion to in- analogous and a conversion to registrical instru- registrical instruc- tion and topolaria analogous instruction and topolaria for each conversion of the conversion of the conversion for each conversion of the conversion of the conversion of the conversion for each conversion of the conversion of the conversion of the conversion for each conversion of the conversion of the conversion of the conversion for each conversion of the conversion of the conversion of the conversion of the conversion for each conversion of the conversion for each conversion of the conversi	
Try out the latest leasures a rearray to kell-bardiant loading. Brown of the fact to had due factors are	makir yar me pedatin misir intara.
Laser Han Avanar Ben	
IBM	Cashie Pederances

7. Put the language of your chatbot, it is up to you. **A remark**, choose the right language which you want to interact with.



8. On the left click on Deploy and as you can see, we need Workspace ID to add it in voxibot file "root.vxml". this ID to push us to specific chatbot that we choose.

	Whethquees / analos levil / Dephoy			(D)
1	Credentials	Workspace ID needs to be		
\leq		added in root.vxml file,		
	Workspace Details			
	2	Copy it and past in root.vsml		
	Warkspace Workspace ID	Workspeen URL		
	anticited	http://pdowey.wotworpla	them.ediassistant/api/v3/warkspaces/	
	and class	the second se		
	Service Credentials			Hanage contentials 12
	Terrator came			
	Watson Resistant (Isrnerly Conversation)-ny			
	Condential same	Diservanie	Password	
	Auto-generated sension credentials	and the second second second second		

9. The way to set the rules in chatbot is same for any language, so you can follow Watson documentation on this website

https://www.ibm.com/blogs/nordic-msp/get-started-building-chatbots-using-watson-bluemix/

Now form voxibot side:

In this side we need to adapt our watson credential in easy way inside Voxibot, then by finishing these next steps we will be able to talk to our chatbot thanks to voximal voice assistant. **Note**, We deal with Arabic language as we will see.

Let's start step by step

Note : Each step you edit or add something new you should do save/submit the apply config

1. To start configuring our voxibot firstly, go to **settings** then **voximal settings** to adjust our settings.

Last update: 2018/05/31 developer_guide:voxibot_overview https://wiki.voximal.com/doku.php?id=developer_guide:voxibot_overview&rev=1527773603 13:33

5)	ratern Ov Admini	17 Internet	0		Tole	phony Statis	stics		0
We	come to debia		• Z	Salaphany +	Tunks/Repet	Tunis 0	filme	 Active Calls 	- 1
Test : Call +33(0)97				Uptime -					
Summary Indexe	A	to spokalant 0 securids ago Sustam Alarta		097-					4.8
eb Berver Norther	3	o official leases found		Memory +					4.4
tone are 5 had destinations			•	Obde v					-
	Sten Al			Autority 1					
	Uptime		0			rpreter Stati-			0
	siem Lasi Rekoste intes 40 seconts ap			Facility		Sensions State	•		3
	Load Averages			Opened: 0	Erw: 0	Reference #	Ha	Duretten: Øs	
0.02 1 diffeate	0.11 Il Minutera	10 Mealers		beaton		livenage Counter	•		10

2. As shown below choose your API, in our case **HTTP or MRCP** which easy and support Arabic. Just copy and paste the link in **URI** http://tts6.i6net.org/tts/acapela/tts.php. **Pay attention** to format (alaw), save and apply config after finishing.

Vesimal Generati	ung C. Augues F. Sardings C. Constraints	
Voximal Setting	6	
General Symbo	ente Recognition Lionene Call Test	
Synthesis		
APT 0	HTTP or MILCO + 2	
UR!*®	important ident cognitivicapolarita php 3	
Method ®	NAT GET ANTIMA	
Format®	were a secold a person and a secold a secold a secold a	
12 0	4	
Kay 0		
User [©]		
Password ®		
'Walce ®		
SSML®	100 000	
Cache opeing [©]	4	
Call prompt [®]	Tes Da	
5		
lave Dive	and Cashe shue	

3. We need API recognition engine to print out and translate our input as a text to be understood by the chatbot. You need to have a credential key for Google or your favorite provider. There are other engines can provide recognition features that depend on the quality and the language support.

oximal Sett	· 1			
General S	ynthesis Recognition Lic	ense Call Test		
Recognition				
API* 🛛	Google Speech API	•	2	
Key 🖗	AlzaSyCbg9yNqJI3	biEC	1	
ney -	reacycogryndaio	N La	3	

4. Create an account to assign it to a Number, this account will connect to the database to communicate with the chatbot, **URL** is the source where our essentials file located. set the speech to **Automatic** to avoid any issues,

Ë	Vosimal Connectivi	ty T Reports V Settings V Apply Config
	1	7
	Voximal Applicat	ion
	2 Accounts Editor	
	Edit Application	
	The fields marked with	' can not be left in blank.
	Name*	demo_server
	url ^{•9} 4	https://source.file /vami/chatbo
	Max Sessions 🛛	
	Dial Format ⁹	
	Mark 9	5
	Speech 9	Emulation No Yes Automatic
	Speech Provider 9	
	Max time (s)	
	Session parameter 6	
	Start delay (ms) 9	500
6	Save Changes Dele	Ite

5. Set a call number to our account that just created, give it any number and name, the important part here is to set **destination**. it will be **voximal application** and link it to the account name that should appear on the list because we just made it **(demo_server)**

Verient Committies 7 Roy	arts I. Serlings I. 💽
Route: de Turis	6
Delete Route demo chatbot	
Edit Incoming Route	
Description .	3 deme chalatol
DID Number®:	4 000
CallerID Number 9	
CID Priotity Route 9:	
Options	
Aiert Info 9:	
CID name prefx.	
Signal RINGING .	
Reject Reverse Charges	
Pause Before Asswer	
Privacy	
Privacy Privacy Manager [©] :	No. 4

6. There are two files need to adapt to our case **root.vxml** and **conversation_watson.vxml** For the root file set the language that you want and supported by the provider (engine). also Because we use Watson so our credential will be Watson credential, we explain how to get these credential from Watson in the top of this page. in addition, By setting your email address you can have the results of your calls and your communication logs with the chatbot.

1	1 troperty name-"timesut" value-"10a"/>	
	reportly menor supplications with values "700ms" /s	
	coperty menor portingetimeout values "5a"/>	
	property name-"maxapeechtimeout" white-"ile"/>	
	i== GALL configuration ==>	
	<pre>www.same-realiser.expr-teessios.connectios.remote.uri//></pre>	
	or non-"dalled" equi-"dension.denseties.leadl.uri"/>	
	var name="id=" unpre="teGephane.id"/=	
	ar nas-"paran" copr-"telephone.paran"/>	
	or non-landbox expension/	
	sar same-"filmenne" appr-"/Barge/Barge/Barge/	
	ar same-"destination" experts/s	
	the same-people respective states	
	MAIN configuration>	
	the same taken opport to all of the same to be a	
	son some lang opportant for the Longson (fr, es, es, es) - 2	
	ar some detector opro false Vetos Anneoring Machine Detector (false,tree)	
	nir name-"_wildame" copr-""Cotte appel sons enregistré afin d\'ambiliarer la réponse de notre agent virtuel.""/sci Wolcome mean	-
	nal prove Astron. Astronom, 15.	
	Nai Prove Action The	
	All Automotive Carbon and All Antiper Carbon and All Antiper All A	
	are some-mails maps-finate p	
	TANKS" LODP OF CONTRACTOR OF />	
	All home-logit (occurrent acting of the	
	and a second second and a second s	
	To send results to your Email	
	tor tone "address" argent" the state, from Manali, and "Ab	
	to the start water and the start of the star	
	the side-"format" enco-"rog"/>	
	ter OWATROT configuration eva	
	sur same-"chatbet" expo-"'wrtaes'"/>	
	I Halogflow Roogleb	
	property name" authorization" wellow"Hearur Woldberghiel- Liker's Licertricher Worlbot>	
h		
	Websey>	
	property name-"authoringtion" sales="50050ed-automates add5:0spacewordykt/s st values" spermanoparavord	
	tar anno-recitigada" says-11170 Workspece ID 2014 (1947)	

7. In **conversation_watson** put the language as you configure in root file. This depends on which workspace ID you want to communicate with.

🖬 conversation, watson withi 🔝
1 <7xm] version = *1.0*75
2 (I most change i needia this line language on, on-UK, on UK, ar, ar reparding what is the TTC provider>
3 screen version = "2.1" miles="http://www.wd.org/2001/vanl" application="root.vanl" mollang="as">
4 Cyar tome"start" copr"tros"/>
5
6 (var seme="prompt" expr="1")>
6 (var same="arl to invoka" expr="""/>
9 CURY ROMO-"WIL AUGO"/>
10 Cvar some="url result" expr="""/>
11
12 © Gertpb)
13 wag context = { conversation ids id};
14 war input = [test; ''];
15 -
16
17 CUAY EARCH"ADAWER" ORDER" />
10 (var name"sessionId" appr"session.connection.remote.uri"/>
19
20 0 (form id="main")
21 ct Init for Watson>
22 0 (block cond="start")
23 cassign name-"imput.text" expr-"'#ELLO'"/>
24 (log)#ATSON : input:(value expr="input"/> context:(value expr="context"/>(/log)
25 cdsts name-"api" ercempt-"'https://gateway.watsosplatform.net/conversation/api/vi/workspaces/'+workspace+'
26 (log)#ATSON : result: (value expr="api"/) (/log)
27 cassign name-"start" expr-"false"/>
20 Gazzign news"prompt" expr="""/>
29 0 <foreadh array="api.output.text" item="text"></foreadh>
30 (appion name="prompt" expr="prompt+text"/>
31 -
32 (acript)log('Watson (init): '4prompt)/(acript)
23 -
34
25 <1 Get the user input>
36 0 (field cond="true" name = "test")
<pre>37 cproperty name="timeout" value="10m"/></pre>
30 (property name="complete timeout" value="700ms"/>
<pre>39 <pre><pre>sproperty name="interdigittimeout" value="3000ma"/></pre></pre></pre>
40 (property name="sensitivity" value="0.5"/>
41 <grammar srcempr="builtin:grammar/text9!+lang"></grammar>
<pre>42</pre>
<pre>43 <grammar arcespr="phrases_'+lange'.txt'"></grammar></pre>
44 Convent cond-"lances"fr" sellings"fr-TR's Welve cont-"crompt"/>C/nromot>

From: https://wiki.voximal.com/ - Voximal documentation

Permanent link: https://wiki.voximal.com/doku.php?id=developer_guide:voxibot_overview&rev=1527773603

Last update: 2018/05/31 13:33

