
Overview



About Voxibot project:

Voxibot is a service that contains several packages and resources can help a customer to launch voice assistant. for their services with high performance and less complicated than voximal. which consumes time to configure it and to reach the voxibot performance. with voxibot solution all resources that customers need are pre-configured. such as TTS/STT engines and telephony trunk, voxibot solution interface does not require pre-experience with IVR to interact and handle services. one of many voxibot features you can connect to chatbot that you want. Ulex Innovative System care about the satisfaction of customers by increasing the performance and facilitate the process, as a result, we made voxibot solution.

Voxibot stracture:

It has a unique composition based on the next:

- Unordered List ItemVoximal software
- Asterisk server
- FreePBX
- TTS/STT engines
- telephony trunk

What is chatbot ?

After we talk about Voxibot now we will know how to use it and integrate with chatbot service, before that we can explain what chatbot is.

It is an assistant service that interacts and communicates with users through text messages,voice message, a virtual companion that integrates into websites, applications or instant messengers and helps to get businesses closer to customers. Such a bot is an automated system of communication with users. It is an opportunity for all businesses to increase productivity or transactions with their customers, by facilitating access or response.

Some bots are limited to a group of rules which are already created to respond to specific commands or context. If the condition does not exist then it will not respond to that specific commands.

Why we need chatbot ?

There are factors that motivate and lead people to use chatbots:

- **Productivity.** Chatbots provide the assistance or access to information quickly and efficiently to users.
- **Entertainment.** Chatbots make some fun to people by giving them funny tips, they also help killing time when users have nothing to do.
- **Curiosity.** The novelty of chatbots lead to curiosity. People want to explore their abilities and to try something new.
- **Social and relational factors.** Chatbots enhance social experiences. Chatting with bots also helps to avoid loneliness, gives a chance to talk without being judged and improves conversational skills.

Now after we have fully understood what is voxibot and chatbot we can start how to get them work together.

Integrate voxibot with chatbot:

In next steps we illustrate how to integrate with Watson engine which is the same way for other engines, just changing some credentials to validate whatever your engine is.

Our chatbot here will be based on Watson

First of all, create an account for Watson engine to get some credential that we need to set and connect between voxibot and chatbot engine, click here to create your account https://watson-conversation.ng.bluemix.net/login ,

When you succeed to create an account next step is to create a workspace with your account and next create the first chatbot to test your system

1. After you log in, click on proceed to start.

This notice provides information about accessing your IBMid user account (Account). If you
have previously been presented with a version of this notice, please refer to "Changes since
the previous version of this notice" below for information about the new updates.
+ Changes since the previous version of this notice
+ What data does IBM collect?
+ Why IBM needs your data
+ How your data was obtained
+ How IBM uses your data
+ How IBM protects your data
+ How long we keep your data
Your rights
Our Privacy Statement provides more information about your personal data rights. It also
provides contact information if you have questions or concerns regarding our handling of your personal data.
Acknowledgement
I acknowledge that I understand how IBM is using my Basic Personal Data and I am at least 16 years of age.

2. We need to find a proper tool to build our chatbot, go to Dashboard on left the choose Watson in the bottom.

<			Catalog Dees Support Hu
Cloud Foundry			
Containers			
Manual and		ocations v All-takepoles v Filter by resource name	Ernate seaso
VHunn			
Durthout	r app Greekproord		
2 ANI			
Apple Development	 prototype to production with the click of a to . You can also check out our solation tatola 	ution? Hit the ground running with one of our 20M	0
E. Mickhair	C THE CAR AND CHECK BOX BOX PORTION CARDING		
berter (• • • • •
X Hinence			
D Runctions			
Dispus	selici, deploy, and scale	Create enterprise-level web spps	C Ruld with Vistoon
	ann - 1844	Shartur Kit - Ulte Services - 3004	Starter Kit - Lite-Services - 13M
P mobile			Accelerate your M development to build smarter
P mobile 3 security	implement common patterns based	Develop and deploy cloud matter apps within minutes.	
		Develop and deploy cloud-matter apps within minutes.	Accelerate your AL development to includ smarter solutions.
yircore (implement common patterns based	Bevelap and deploy shoul malion apps within minutes.	

3. Here as you see click **Get Start** to launch your own chatbot.

Deerviews Darther Hilts Matthood Deervicions Rosenarriannings Franking Sarvison	Build with Watson		VA
Developer Resources = Descentiation 20%	æ		1
Lawring Resources	Build a chatbot casale a chatbot casale a duiltat to internat with your contensors.	Extract insights pary the next is understand had topolo, semiment and more.	Convert audio into text Convert proch in mitpite languages into text.
_	Bet Started	Get Marted	Get 35arbed

4. We will use Lite option in our example it is limited and it has 30 days to keep your work up. On right bottom click on Create.

Last update: 2018/05/31 developer_guide:voxibot_overview https://wiki.voximal.com/doku.php?id=developer_guide:voxibot_overview&rev=1527773761 13:36

Pricing Plans		Hunthly private abasen-and for smoothly or suggest Damage
1.44	10/240	P80346
у н. 1	MARING AND	fan .
0014	nate gebruik distol off 31,000 HP calcule moth scienced. And whe Next, emitted 150. In annote an abstraction III algo attractivity.	nas regiote broand per une Theoreticov Hand, entites,
-	nd Definited RF sporter per reach Optic 21 Weinspirite Up to 2005/000m Optic 2005/000m Devel Profession Profession Profession	GLOBORH-47
	en Passian Passialita Santigara anti egati initiana al earer Inter Write anticas la muchy. They almost the much with a sant and almost particular, ana atta and and and and al ear. In Internative 2010, al Space Taxes agrees	Techter selected old alotter on the existing spinel data while it transit


5. Before you launch the platform, have a look to your credential.copy your credential Username/password and paste them on proper places in Root.vxml file (you can see at the end of this Doc). After that press on Launch test.

≡ ≧ IM Gend		Estaing Deck Support Hanage (
Hanage Service contentials Han Connections	View / Watson Assistant (formerly Conversation)-oy Iswaters United Foglar Og uts/32389-reason Rear des Cick here to start your Cick here to st	Pas for Under
	testeres	These are the credentials, copy them and past them in voxibot and root.vcml file as well

6. Create a Workspace to communicate with during your test, by this workspace you will get the response, and you will understand how voximal assistant helpful and easy to use.

TITY VICUS Audulat	6
Tetrochering IBM Watson Assistant	
Three easy steps	
Create Foreman and entities Public part of lang. Description of the second of the	searched how for geographic and the state of
Get started now reconstruct	
13H Watson Auditant	0 0
Workspaces	Watson Assistant Romenty Conversation-boy Compo
Try out the United Network Section 2015 Network Section 2015	machte geer neur production archer Indanos.
IBM	Cadio Preferences

7. Put the language of your chatbot, it is up to you. **A remark**, choose the right language which you want to interact with.



8. On the left click on Deploy and as you can see, we need Workspace ID to add it in voxibot file "root.vxml". this ID to push us to specific chatbot that we choose.

	Whethquees / analos levil / Dephoy			(D)
1	Credentials	Workspace ID needs to be		
\leq		added in root.vxml file,		
	Workspace Details			
	2	Copy it and past in root.vsml		
	Warkspace Workspace ID	Workspeen URL		
	anticited	http://pdowey.wotworpla	them.ediassistant/api/v3/warkspaces/	
	and characteristic	the second se		
	Service Credentials			Hanage contentials 12
	Terrator came			
	Watson Resistant (Isrnerly Conversation)-ny			
	Condential same	Diservanie	Password	
	Auto-generated sension credentials	and the second second second second		

9. The way to set the rules in chatbot is same for any language, so you can follow Watson documentation on this website

https://www.ibm.com/blogs/nordic-msp/get-started-building-chatbots-using-watson-bluemix/

Now form voxibot side:

In this side we need to adapt our watson credential in easy way inside Voxibot, then by finishing these next steps we will be able to talk to our chatbot thanks to voximal voice assistant. **Note**, We deal with Arabic language as we will see.

Let's start step by step

Note : Each step you edit or add something new you should do save/submit the apply config

1. To start configuring our voxibot firstly, go to **settings** then **voximal settings** to adjust our settings.

Last update: 2018/05/31 developer_guide:voxibot_overview https://wiki.voximal.com/doku.php?id=developer_guide:voxibot_overview&rev=1527773761 13:36

5)	ratern Ov Admini	17 Internet	0		Tole	phony Statis	stics		0
We	come to debia		• Z	Salaphany +	Tunks/Repet	Tunis 0	filme	 Active Calls 	- 1
Test : Call +33(0)97				Uptime -					
Summary Indexe	A	to spokalant O securida ago Sustam Alarta		097-					4.8
eb Berver Norther	3	o official leases found		Memory +					4.4
tone are 5 had destinations			•	Obde v					-
	Sten Al			Autority 1					
	Uptime		0			rpreter Stati-			0
	siem Lasi Rekoste intes 40 seconts ap			Facility		Sensions State	•		3
	Load Averages			Opened: 9	Erw: 0	Reference #	Ha	Duretten: Øs	
0.02 1 diffeate	0.11 Il Minutera	10 Mealers		beaton		livenage Counter	•		10

2. As shown below choose your API, in our case **HTTP or MRCP** which easy and support Arabic. Just copy and paste the link in **URI** http://tts6.i6net.org/tts/acapela/tts.php. **Pay attention** to format (alaw), save and apply config after finishing.

Venimal Convert	Villy 9 Regions 9 Services 9 County County	
loximal Setting		
General Synthe	Recognition Unesee Call Test	
APT 0	HTTP or MICP - 2	
uri-9	Importanti dover cogittari icaspolaritta php 3	
Method ®	NOT IN THE TOP IN	
Format®	were anothing press there are an an and a short	
H.0	4	
Kay [®]		
User®		
Password ®		
'abios G		
SSML®	The second se	
Caste opeing [®]	a contraction of the second seco	
Call prompt [®]	76 10	
5		
Seve Dive	and Caulou close	

3. We need API recognition engine to print out and translate our input as a text to be understood by the chatbot. You need to have a credential key for Google or your favorite provider. There are other engines can provide recognition features that depend on the quality and the language support.

oximal Sett	· 1			
General S	ynthesis Recognition Lic	ense Call Test		
Recognition				
API* 🛛	Google Speech API	•	2	
Key 🖗	AlzaSyCbg9yNqJI3	biEC	1	
ney -	reacycogryndaio	N La	3	

4. Create an account to assign it to a Number, this account will connect to the database to communicate with the chatbot, **URL** is the source where our essentials file located. set the speech to **Automatic** to avoid any issues,

–	Vaximal Connecti	eizy V Reports V Settings V Apply Config
	1	7
V	oximal Applica	ition
2	Accounts Edito	e
E	Edit Application	
7	The fields marked with	* can not be left in blank.
N	lame*• 3	demo_server
U	IRL" [®] 4	https:// source file //xml/chatbo/ Select •
N	fax Sessions ²	
D	Dial Format®	
N	Aark 🔍	5
s	ipeech 9	Emulation No Yes Automatic
s	Speech Provider 9	
N	Aax time (s) 🤨	
s	Session parameter ®	
s	Start delay (ms) 오	500
6	Save Changes De	dete

5. Set a call number to our account that just created, give it any number and name, the important part here is to set **destination**. it will be **voximal application** and link it to the account name that should appear on the list because we just made it **(demo_server)**

Verient Constitute 2 Rep	ars f 🛛 Serings f 🥑
Route: dt Turks Ittoot	6
Delete Route demo chatbot	
Edit Incoming Route	
Description .	3 dens chettor
DID Number®	4 2000
CallerID Number [®]	
CID Priority Route 9:	
Options	
Aiert Info®:	
CID name prefix 9:	
Signal RINGING .	
Reject Reverse Charges 9	
Pause Before Answer 9:	
Privacy	
Privacy Manager 9:	700 *
Privacji Manuper:	

6. There are two files need to adapt to our case **root.vxml** and **conversation_watson.vxml** For the root file set the language that you want and supported by the provider (engine). also Because we use Watson so our credential will be Watson credential, we explain how to get these credential from Watson in the top of this page. in addition, By setting your email address you can have the results of your calls and your communication logs with the chatbot.

1	1 troperty name-"timesut" value-"10a"/>	
	reportly menor supplications with values "700ms" /s	
	coperty menor portingetimeout values "5a"/>	
	property name-"maxapeechtimeout" white-"ile"/>	
	i== GALL configuration ==>	
	<pre>www.same-realiser.expr-teessios.connectios.remote.uri//></pre>	
	or non-"dalled" equi-"dension.denseties.leadl.uri"/>	
	var name="id=" unpre="teGephane.id"/=	
	ar nas-"paran" copr-"telephone.paran"/>	
	or non-landbox expension/	
	sar same-"filmenne" appr-"/Barge/Barge/Barge/	
	ar same-"destination" experts/s	
	the same-people respective states	
	MAIN configuration>	
	the same taken opport to all of the same to be a	
	son some lang opportant for the Longson (fr, es, es, es) - 2	
	ar some detector opro false Vetos Anneoring Machine Detector (false,tree)	
	nir name-"_wildame" copr-""Cotte appel sons enregistré afin d\'ambiliarer la réponse de notre agent virtuel.""/sci Wolcome mean	-
	nal prove Astron. Astronom, 15.	
	Nai Prove Action The	
	All Automotive Carbon and All Antiper Carbon and All Antiper All A	
	are some-mails maps-finate p	
	TANKS" LODP OF CONTRACTOR OF />	
	All home-logit (occurrent acting of the	
	and a second second and a second s	
	To send results to your Email	
	tor tone "address" argent" the state, from Manali, and "Ab	
	to the start water and the start of the star	
	the side-"format" enco-"rog"/>	
	ter OWATROT configuration eva	
	sur same-"chatbet" expo-"'wrtaes'"/>	
	I Halogflow Roogleb	
	property name" authorization" wellow"Hearur Woldberghiel- Liker's Licertricher Worlbot>	
h		
	Websey>	
	property name-"authoringtion" sales="50050ed-automates add5:0spacewordykt/s st values" spermanoparavord	
	tar anno-recitigada" says-11170 Workspece ID 2014 (1947)	

7. In **conversation_watson** put the language as you configure in root file. This depends on which workspace ID you want to communicate with.

n conversation wataon wari 🛛	
1 <2xml vergion = "1.0"25	
2 most change i meedia this line language on, on-UK, on UK, ar, ar reparding what is the TWE provider	-
3 symmal version = "2.1" suino-"http://www.wi.org/2001/vani" opplication-"most.vani" suiriarg-"as">	
4 Cvar none-"start" expr-"tree"/>	
6 Cyar some"prompt" expr="""/>	
6 dvar same="arl to invoke" expr="""/>	
9 ctay non-"url args"/>	
10 Cvar name="arl result" expr="""/>	
11	
12 Georgeb	
13 vag context = { conversation ids [d];	
14 var input = [test: ''];	
15 - c/soript>	
16	
17 CMAY RAMP-"ADAMMS" ORD: "/>	
10 (var name="sessionId" expr="session.connection.remote.uri"/>	
14	
20 C (form id-"main")	
21 <1 Init for Watson>	
72 0 (block cond="start")	
23 canning name="imput.text" expr="!#ELLO!"/>	
24 (log)WATSON : input:(value expr="input"/> context:(value expr="context"/>(/log)	
25 cdats name-"api" srcempr-"'https://gateway.wateosplatform.met/conversation/api/vi/workspaces/'+workspace	1 C 44
26 (log)WATSON : result:(value expc="api"/)/(log)	
27 causign name-"start" expr-"false"/>	
20 Gausion name="prompt" expc="11"/>	
29 cforeach item="text" agray="api.output.text">	
30 (apping name="prompt" opr="prompt"text"/>	
21 - foreach	
32 (script)log('Watson (init): 'sprompt)/(script)	
23 - c/block>	
34	
25 c1 Get the user input>	
36 0 (field cond="true" name = "test")	
<pre>37 <pre>cproperty name="timeout" value="idm"/></pre></pre>	
<pre>30</pre>	
<pre>29 <pre>cproperty name="interdigittimeout" value="3000ms"/></pre></pre>	
40 (property name="sensitivity" value="0.5"/>	
<pre>41 <grammar arcespr-"builtin:grammar="" text9'+lang"=""></grammar></pre>	
<pre>42</pre>	
43 <qrammar arcespr="phrases_'+lang+'.txt'"></qrammar>	
44 Optional point-langes'fr' well-lange-'fr-TR's(value sent-'promot'/s(/promot))	v

From: https://wiki.voximal.com/ - Voximal documentation

Permanent link: https://wiki.voximal.com/doku.php?id=developer_guide:voxibot_overview&rev=1527773762

Last update: 2018/05/31 13:36

