
## Overview



### About Voxibot project:

Voxibot is a service that contains several packages and resources can help a customer to launch voice assistant. for their services with high performance and less complicated than voximal. which consumes time to configure it and to reach the voxibot performance. with voxibot solution all resources that customers need are pre-configured. such as TTS/STT engines and telephony trunk, voxibot solution interface does not require pre-experience with IVR to interact and handle services. one of many voxibot features you can connect to chatbot that you want. Ulex Innovative System care about the satisfaction of customers by increasing the performance and facilitate the process, as a result, we made voxibot solution.

### **Voxibot stracture:**

It has a unique composition based on the next:

- Voximal Voximal software
- Asterisk server
- FreePBX
- TTS/STT engines
- telephony trunk

### What is chatbot ?

# After we talk about Voxibot now we will know how to use it and integrate with chatbot service, before that we can explain what chatbot is.

It is an assistant service that interacts and communicates with users through text messages,voice message, a virtual companion that integrates into websites, applications or instant messengers and helps to get businesses closer to customers. Such a bot is an automated system of communication with users. It is an opportunity for all businesses to increase productivity or transactions with their customers, by facilitating access or response.

Some bots are limited to a group of rules which are already created to respond to specific commands or context. If the condition does not exist then it will not respond to that specific commands.

### Why we need chatbot ?

#### There are factors that motivate and lead people to use chatbots:

- **Productivity.** Chatbots provide the assistance or access to information quickly and efficiently to users.
- **Entertainment.** Chatbots make some fun to people by giving them funny tips, they also help killing time when users have nothing to do.
- **Curiosity.** The novelty of chatbots lead to curiosity. People want to explore their abilities and to try something new.
- **Social and relational factors.** Chatbots enhance social experiences. Chatting with bots also helps to avoid loneliness, gives a chance to talk without being judged and improves conversational skills.

# Now after we have fully understood what is voxibot and chatbot we can start how to get them work together.

### Integrate voxibot with chatbot:

In next steps we illustrate how to integrate with Watson engine which is the same way for other engines, just changing some credentials to validate whatever your engine is.

#### Our chatbot here will be based on Watson

First of all, create an account for Watson engine to get some credential that we need to set and connect between voxibot and chatbot engine, click here to create your account <a href="https://watson-conversation.ng.bluemix.net/login">https://watson-conversation.ng.bluemix.net/login</a> ,

# When you succeed to create an account next step is to create a workspace with your account and next create the first chatbot to test your system

**1.** After you log in, click on proceed to start.

anges since the previous ve at data does IBM collect? y IBM needs your data	rsion of this no	otice		
y IBM needs your data				
w your data was obtained				
w IBM uses your data				
w IBM protects your data				
w long we keep your data				
ghts				
s contact information if you have q				
nowledgement				
-	is using my Basic	Personal Data and	I am at least	
	es contact information if you have of al data. nowledgement	ow IBM protects your data we long we keep your data ights sacy Statement provides more information about you is contact information if you have questions or conce al data. <b>nowledgement</b> welsdge that I understand how IBM is using my Basic is of age.	ow IBM protects your data ow long we keep your data ights wacy Statement provides more information about your personal data rig is contact information if you have questions or concerns regarding our h at data. <b>nowledgement</b> wiedge that I understand how IBM is using my Basic Personal Data and	ow IBM protects your data ow long we keep your data ights wacy Statement provides more information about your personal data rights. It also is contact information if you have questions or concerns regarding our handling of your al data. <b>nowledgement</b> wiedge that I understand how IBM is using my Basic Personal Data and I am at least

**2.** We need to find a proper tool to build our chatbot, go to Dashboard on left the choose Watson in the bottom.

×			Calabe Dece Dep	66 M
Cloud Foundry				
Containers	COMPANY OF A DATA DATA DATA DATA			
Manhappene -		cotion v All categories v Fiber to researce name	ins	
Vitant				
E buildoord	r app Gevelopment			
O ARE	r app ceveragement		•	
🗋 Apple brushpmen 🚥		tion? Hit the ground running with one of our IDM		
	prototype to production with the click of a bu- . You can also check out our solation tatotal			-
8. Wickheir				۳.
B atrokowia G okutor				₩.
E Bhokhain 5 Devitos 2 Minance				₩.
8 struktner 3 deuter 3 minance 5 munctione				₩.
8 allockowia 3 dwietow 2 milanow 3 milanow 3 milanow 3 milanow 3 milanow 3 milanow	<ul> <li>You can also check out our solution tatolal</li> </ul>	a that previde real-werit clout solution		₩.
Apple Development  Status  St	<ul> <li>You can also check out our solution fatofall</li> <li>Salid, dopley, and scale</li> <li>San - Unit</li> <li>Complement community affer to based</li> </ul>	n finat provide real-workt cloud schattee	Starter KE - Dis Services - DM Accelerater pour AE development to build senariter	
<ul> <li>B mickhein</li> <li>Compo</li> <li>Compo</li> <li>Compo</li> <li>Compo</li> <li>Composition</li> <li>Composition</li> <li>P moteo</li> </ul>	- You can also check out our solution fatorial solid, deploy, and scale mo. 184	thet previole west-west doort solution     Create enterprise-level web appe     Create enterprise-level web appe     Create enterprise-level web appe	Starter 101 - Lite-Services - 13M	

3. Here as you see click **Get Start** to launch your own chatbot.

erven larter Hits otsor Services - Researchesten functig families	Build with Watson		VA
Degeneration	e	le	æ
Lawring Resources	Build a chattoot Deste a chattoot with your overleners.	Extract insights Owny the news is understand had topics, sentiment and room.	Convert audio into text.
_	NOTION A	Out Marted	Col 31s Ted

**4.** We will use Lite option in our example it is limited and it has 30 days to keep your work up. On right bottom click on Create.

Last update: 2018/05/31 developer\_guide:voxibot\_overview https://wiki.voximal.com/doku.php?id=developer\_guide:voxibot\_overview&rev=1527773822 13:37

Pricing Plans			Hentily private alterations	he southy at segme <b>Exerce</b>
	1.M	194940	P80	140
1	i in	Advantative Calify par Namete* Valenti Distributionen Vaponi ann Inanin. Vaponi 20 Belline *PEEZ (manaage method salls anty	1-m	
	meng hows, around its	decisiti 10.00 HT observer and a course. And when an agend a Ameridan III Age attachedy.	to and person theoretic	v med, eddel.
	Desired	Validentina UPP genetics per countin UP-In-20 WWW.app.Con UP-In-20 WWW.app.Con UP-In-20 WWW.app.Con UP-IN-20 WWW.app.Con WWWW.app.Con WWWW.app.Con UP-IN-20 WWW.app.Con WWWW.app.Con WWW.a	60.0	CARCHENGER
	Panian	Practice Place-ther functions and equivalent as site instance of some their Walson accesses for function results. There also offer semantic-burchadden on the should place the source of the source of the source of end of web.	ter ond e velving Alle is transit	


**5.** Before you launch the platform, have a look to your credential.copy your credential Username/password and paste them on proper places in Root.vxml file (you can see at the end of this Doc). After that press on Launch test.

≡ ≧ ISH Gave		tatalog toos Separt Hanaja 📓
Hanage Geninan sexientials Har Connections	Venue ( Watson Assistant (formerly Conversation)-oy teaters United Cogilier Org. der/2020graduer Report der Cick here to start your chatbot Ferner Net Cick here to start your chatbot Cick here to start your chatbot	Past for Union
	Desperate	
	<pre>{     fast': "Https://privey etsevoletion et/esisten/ad",         /_second :         /_second :</pre>	These are the credentials, copy them and past them in voxibot and root.vxmi file as well

**6.** Create a Workspace to communicate with during your test, by this workspace you will get the response, and you will understand how voximal assistant helpful and easy to use.

107 United Resident	6
Tetroducing IBM Watson Assistant Rever insender beneficier institution of a contract and a state and	
Three easy steps	
Create interests and entities         Build your study on the analysis of theorem in the second of providing the transmission of the second of the secon	anish han he manaday
Get started now	
10H Watson Asalatami	00
Nome Wolkspaces	
Workspaces	Watson Assistant Konnerly-Conversation)-cy Change
Car Datahbarat - Sampla Caraba a low userkigana topithere in indexe appear weakpace show to see a low or user kinds you to maintain reparare metals, sare kan pain, writing, and fabring transmission and appearate transmission and appearate	
Try cut. The Latest Robust is ensering to hald detail and dates to using the set of the field to be datest Robust Latest Note: <u>Ensert Note</u> <u>Robust Rob</u>	aakis yaa no yuulaatiin aasino indanoo.
IBM	

**7.** Put the language of your chatbot, it is up to you. **A remark**, choose the right language which you want to interact with.



**8.** On the left click on Deploy and as you can see, we need Workspace ID to add it in voxibot file "root.vxml". this ID to push us to specific chatbot that we choose.

_	33HI Watson Assistant			0 0
×	Whethquares ( analosis level ) Deploy			One
	1 Credentalia	Workspace ID needs to be		
8	Workspace Details 2 Д	added in root.vxml file, copy it and past in / root.vxml		
-	Verkpace Verkpace D reme  endicited	Podc.vemi Notepace ER. Mater/galeexycwaterolations.ediasistee(up/v3 Garatitettue)records/	(veriapeces)	-
	Service Credentials			Hange contentials CP
	Service came Watson Redukted (hermerly Dorwersatiles)-sty			
	Condestitul same	Unantume	Passani	
	Auto-generated service credentials	and the sector of the sector o	the second se	

**9.** The way to set the rules in chatbot is same for any language, so you can follow Watson documentation on this website

https://www.ibm.com/blogs/nordic-msp/get-started-building-chatbots-using-watson-bluemix/

### Now form voxibot side:

In this side we need to adapt our watson credential in easy way inside Voxibot, then by finishing these next steps we will be able to talk to our chatbot thanks to voximal voice assistant. **Note**, We deal with Arabic language as we will see.

#### Let's start step by step

Note : Each step you edit or add something new you should do save/submit the apply config

**1.** To start configuring our voxibot firstly, go to **settings** then **voximal settings** to adjust our settings.

Last update: 2018/05/31 developer\_guide:voxibot\_overview https://wiki.voximal.com/doku.php?id=developer\_guide:voxibot\_overview&rev=1527773822 13:37

5)	ratern Ov Admini	17 Internet	0		Tole	phony Statis	stics		0
We	come to debia		• Z	Salaphany +	Tunks/Repet	Tunis 0	filme	<ul> <li>Active Calls</li> </ul>	- 1
Test : Call +33(0)97				Uptime -					
Summary Indexe	A	to spokalant 0 securids ago Sustam Alarta		097-					4.8
eb Berver Norther	3	o official leases found		Memory +					4.4
tone are 5 had destinations			•	Obde v					-
	Sten Al			Autority 1					
	Uptime		0			rpreter Stati-			0
	siem Lasi Rekoste intes 40 seconts ap			Facility		Sensions State	•		3
	Load Averages			Opened: 0	Erw: 0	Reference #	Ha	Durettien: Øs	
0.02 1 diffeate	0.11 Il Minutera	10 Mealers		beaton		livenage Counter	•		10

**2.** As shown below choose your API, in our case **HTTP or MRCP** which easy and support Arabic. Just copy and paste the link in **URI** http://tts6.i6net.org/tts/acapela/tts.php. **Pay attention** to format (alaw), save and apply config after finishing.

Vesimal Carranti	ule C. Reports P. Serdings C. Style Config.	
oximal Setting	5 1 6	
Synthesis		
APT 0	иттр ог миса • 2	
uq+9	Importanti dovet cogriteri cosponista php 3	
Method ®	NOT GET ASTRON	
Format®	were a series a permitter and a large a data a data a data a	
H.O.	4	
Kay <sup>®</sup>		
User <sup>®</sup>		
Password ®		
'abice 🗣		
SSML .	760 m	
Caste opeing <sup>®</sup>	d	
Call prompt <sup>®</sup>	76 W	
5		
Sev. Disc	and Cambre close	

**3.** We need API recognition engine to print out and translate our input as a text to be understood by the chatbot. You need to have a credential key for Google or your favorite provider. There are other engines can provide recognition features that depend on the quality and the language support.

oximal Sett	· 1			
General S	ynthesis Recognition Lic	ense Call Test		
Recognition				
API* 🛛	Google Speech API	•	2	
Key 🖗	AlzaSyCbg9yNqJI3	biEC	1	
ney -	reactionality and	N La	3	

**4.** Create an account to assign it to a Number, this account will connect to the database to communicate with the chatbot, **URL** is the source where our essentials file located. set the speech to **Automatic** to avoid any issues,

💾 Waximal Connectiv	ay T Reports V Settings V Apply Config
1	7
Voximal Applica	lion
2 Accounts Edito	
Edit Application	
The fields marked with	* can not be left in blank.
Name*® 3	demo_server
url:• 4	https:// source file //xml/chatbo/ Select •
Max Sessions 9	
Dial Format <sup>®</sup>	
Mark 🤨	5
Speech 9	Emulation No Yes Automatic
Speech Provider 6	
Max time (s) 6	
Session parameter 9	
Start delay (ms) 9	500
6 Save Changes De	ete

**5.** Set a call number to our account that just created, give it any number and name, the important part here is to set **destination**. it will be **voximal application** and link it to the account name that should appear on the list because we just made it \*\*(demo\_server)\*\*

Verient Constitute 2 Rep	ars f 🛛 Serings f 🥑
Route: dt Turks Ittoot	6
Delete Route demo chatbot	
Edit Incoming Route	
Description .	3 dens chettor
DID Number®	4 2000
CallerID Number <sup>®</sup>	
CID Priority Route 9:	
Options	
Aiert Info®:	
CID name prefix 9:	
Signal RINGING .	
Reject Reverse Charges 9	
Pause Before Answer 9:	
Privacy	
Privacy Manager 9:	700 *
Privacji Manuper:	

**6.** There are two files need to adapt to our case **root.vxml** and **conversation\_watson.vxml** For the root file set the language that you want and supported by the provider (engine). also Because we use Watson so our credential will be Watson credential, we explain how to get these credential from Watson in the top of this page. in addition, By setting your email address you can have the results of your calls and your communication logs with the chatbot.

- 53	reporty man-filework value-100//>
- 44	copy of a support of completion in each " values "70 loss" ( )
- 6	coperty need online time of "value" 50"/>
- 6	roperty name-"manappedbtimeost" walke-"IME"/>
1.0	ter GALL configuration ==0
< 8	<pre>nr same-"caller" expr-"session.connection.remote.upin/&gt;</pre>
	or sever'dalled' sever'measies.competies.less1.asi//>
	ur some*id* empre*teGephase.td*//
< 8	ar same-"paran" our-"tolephone.paran"/>
1.58	the sum-"issidem" exp-"itric
1.0	tor some "timenane" orgen" "Durage/Paris"/s
< 8	ar some"destination" experts////>
100	the same-"peofile" expe-"11"/>
143	HAIS coefiguration>
	Int some "name" copy - " "Realised" 1/> 2
	on noner"iang" ergen"ian''(2) Longange ((r.en.er.er)>
	ar some detector expression false //selse Associng Machine Detector (false, trac)>
100	ar anne-"_welcome" copr-""Cotte appel sens enrégistré afin du'améliorer la réponse de notre agent virtuel."//st- Welcome meanue
	or constructions" (>
1.0	ar somer"edbo" oxpr="false"/=
	ar same-trecord: appr-timet/>
1.58	or non-fail? exp-firef()
- 68	ar same"logs" cope"sam krrsy@"/>
	the state-freezest the expo-fites/>
1.0	or non-"genrins" expc="0"/*
	To send results to your Email
	or non-radienas' apport option. (pp. )
	ar same-'Rey' expr-''Boreso''/>
- 18	nr sus-firmat' sup-froggin/>
	GMTBOT configuration>
- 18	ar asse-"chatbet" expc-""wateen"/>
	Halogflow Koogleb
-9	roperty name+"_sotherization" walse+"Healer Stilltershift://windridses/ticze*/btl Worlbot>
1.0	Wataon
122	respectly name="sutherization" value="\$005eed-edeename" value5:Capazaeedet"/> <1-+ value=" summary parameter in and> value=" va value=" value=" value=" value=" value=" value=" value="" value="" value=" value=" value=" value=" value=" value="" val

**7.** In **conversation\_watson** put the language as you configure in root file. This depends on which workspace ID you want to communicate with.

- com	ersation watson.vom 🗉
1	<pre><td< th=""></td<></pre>
	most change i needia this lise language on, en-UK, en UK, ar, ar regarding what is the TTE provider
	<pre>version = "2.1" swino-"http://www.wd.comp/2001/vaml" emplication-"moot.vaml" publicary-"as"&gt;</pre>
4	Cvar some="start" expr="true"/>
	Cvar name="prompt" expr="""/>
	(var name="url_to_invoke" expr="""/>
- 9	<pre>cvay none="mail args"/&gt;</pre>
	<pre>Cvar name="url_result" expc=""""/&gt;</pre>
	(certpb)
	<pre>var context = i conversation_ids id);</pre>
14	<pre>var input = ( text: '');</pre>
	coar roseauswer, exbtAlbe., />
	<pre>(var name="sessionId" appr="session.connection.remote.uri"/&gt;</pre>
19	
	<pre>(form id="main")</pre>
	<pre><!-- Init for Watson--></pre>
	<aosign expr-"'#ello''="" name-"imput.text"=""></aosign>
24	<li><li><li><li><li><li><li><li><li><li></li></li></li></li></li></li></li></li></li></li>
	<pre><data )-o'log)<="" api"="" li="" name="api" srcespr="ihttps://gateway.watsosplatform.net/conversation/api/vi/workspaces/'+workspace+&lt;/pre&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;li&gt;(log)WATSON : result: (value expr="></data></pre>
	<aosign capt-"false"="" nome-"start"=""></aosign>
	Kassign name*prompt* expc+***/>
	<pre>datalgn name="prompt" sign="prompt+text"/&gt;</pre>
	<pre>secipt&gt;log('Watson (init): '+prompt)/</pre>
54	
	<1 Get the user input>
	<pre>(field cond="true" name = "text")</pre>
	<property name-"timeout"="" value-"10s"=""></property>
	<pre>sproperty name="completetimeout" value="700mm"/&gt;</pre>
	<pre>cproperty nome="intendigittimeout" wile="300Bms"/&gt;</pre>
40	<pre>sproperty name="sensitivity" value="0.5"/&gt;</pre>
	<pre><grammar sroexpr="builtin:grammar/text9!+lang"></grammar></pre>
42	<pre>sprammar prospr="alias_'+lang+'.grmal=*/&gt;</pre>
43	<pre>cyrammar arcespr="'phrases_'+lang+'.txt""/&gt;</pre>
44	<pre>commt_cond="lange="fr" weltlang="fr=TR"styatos_sent="scompt"/&gt;C/nremet&gt;</pre>

From: https://wiki.voximal.com/ - Voximal documentation

Permanent link: https://wiki.voximal.com/doku.php?id=developer\_guide:voxibot\_overview&rev=1527773822

Last update: 2018/05/31 13:37

