



IBM Watson

Integrate voxibot with chatbot:


In next steps we illustrate how to integrate with Watson engine which is the same way for other engines, just changing some credentials to validate whatever your engine is.

Our chatbot here will be based on Watson

First of all, create an account for Watson engine to get some credential that we need to set and connect between voxibot and chatbot engine, click here to create your account <https://watson-conversation.ng.bluemix.net/login> ,


When you succeed to create an account next step is to create a workspace with your account and next create the first chatbot to test your system

1. After you log in, click on proceed to start.




2. We need to find a proper tool to build our chatbot, go to Dashboard on left the choose Watson in


the bottom.




3. Here as you see click **Get Start** to launch your own chatbot.




4. We will use Lite option in our example it is limited and it has 30 days to keep your work up. On right bottom click on Create.




5. Before you launch the platform, have a look to your credential.copy your credential Username/password and paste them on proper places in Root.xml file (you can see at the end of this Doc). After that press on Launch test.




6. Create a Workspace to communicate with during your test, by this workspace you will get the response, and you will understand how voximal assistant helpful and easy to use.



7. Put the language of your chatbot, it is up to you. **A remark**, choose the right language which you want to interact with.



8. On the left click on Deploy and as you can see, we need Workspace ID to add it in voxibot file “root.vxml“. this ID to push us to specific chatbot that we choose.



9. The way to set the rules in chatbot is same for any language, so you can follow Watson documentation on this website <https://www.ibm.com/blogs/nordic-msp/get-started-building-chatbots-using-watson-bluemix/>


Now form voxibot side:

In this side we need to adapt our watson credential in easy way inside Voxibot, then by finishing these next steps we will be able to talk to our chatbot thanks to voximal voice assistant. **Note**, We deal with Arabic language as we will see.


Let's start step by step

Note : Each step you edit or add something new you should do save/submit the apply config

1. To start configuring our voxibot firstly, go to **settings** then **voximal settings** to adjust our settings.




2. As shown below choose your API, in our case **HTTP or MRCP** which easy and support Arabic. Just copy and paste the link in **URI** <http://tts6.i6net.org/tts/acapela/tts.php>. **Pay attention** to format (alaw), save and apply config after finishing.




3. We need API recognition engine to print out and translate our input as a text to be understood by the chatbot. You need to have a credential key for Google or your favorite provider. There are other

engines can provide recognition features that depend on the quality and the language support.



4. Create an account to assign it to a Number, this account will connect to the database to communicate with the chatbot, **URL** is the source where our essentials file located. set the speech to **Automatic** to avoid any issues,



5. Set a call number to our account that just created, give it any number and name, the important part here is to set **destination**. it will be **voximal application** and link it to the account name that should appear on the list because we just made it ****(demo_server)****


```

1 <!-- session = "1.1" -->
2 <!-- note: change 1.1 in this line language en, en-GB, en-UK, en-US, or regarding what is the TTS provider -->
3 <!-- session = "2.1" --> <!-- http://www.w3.org/2001/XMLSchema application="root.wxml" --> <!-- session="en" -->
4 <var name="start" expr="true"/>
5
6 <var name="prompt" expr=""/>
7
8 <var name="url_to_invoke" expr=""/>
9 <var name="url_args" expr=""/>
10 <var name="url_result" expr=""/>
11
12 <script>
13 var context = 1 conversation_id;
14 var input = { text: '' };
15 </script>
16
17 <var name="answer" expr="VIDE" />
18 <var name="sessionId" expr="session.connection.remote.uri"/>
19
20 <form id="main">
21 <!-- Init for Watson -->
22 <block cond="start">
23 <assign name="input.text" expr="SESSION"/>
24 <log NATSIO : input: <value expr="input"/> context: <value expr="context"/> </log>
25 <data name="api" aroexpr="https://gateway.watsonplatform.net/conversation/api/v1/workspaces/'workspace'" />
26 <log NATSIO : result: <value expr="api"/> </log>
27 <assign name="atast" expr="false"/>
28 <assign name="prompt" expr=""/>
29 <foreach item="text" array="api.output.text">
30 <assign name="prompt" expr="prompt+text"/>
31 </foreach>
32 <script>log("Watson (init): 'prompt'</script>
33 </block>
34
35 <!-- Get the user input -->
36 <field cond="true" name="text">
37 <property name="timeout" value="10s"/>
38 <property name="compleatetimeout" value="700ms"/>
39 <property name="interdigittimeout" value="100ms"/>
40 <property name="sensitivity" value="0.9"/>
41 <grammar aroexpr="builtin:grammar/text'+lang'"/>
42 <grammar aroexpr="alias'+lang'+.grxml"/>
43 <grammar aroexpr="phrase'+lang'+.txt"/>
44 <script cond="lang=='fr'" <!-- lang="fr" --> <value expr="prompt"/> </script>

```

From: <https://wiki.voximal.com/> - **Voximal documentation**

Permanent link: https://wiki.voximal.com/doku.php?id=developer_guide:voxibot_watson&rev=152775536

Last update: **2018/05/31 14:05**

