

# < error >

## Description

The < error > element catches an error event. This is a shorthand notation for <catch event="error"> that catches all events of type error.

## Syntax

```
<error  
count="Integer"  
cond="ECMAScript_Expression">  
child elements  
</error>
```

## Attributes

count	This attribute defines the event count, as in < catch > element. This attribute is optional.
cond	The cond attribute is a Boolean condition to test to see if the event is caught by the <error>. This attribute is optional.

## Anonymous Variables

Two anonymous variables are available within the scope of the < catch > element: \*\_event - the event contains the name of the event that was thrown. \*\_message - the message contains the message string from the corresponding < throw > element, or a platform-defined value for events raised by the platform.

## Parents

```
<field>, <form>, <initial>, <menu>, <object>, <record>, <subdialog>,  
<transfer>, <vxml>
```

## Children

```
<assign>, <audio>, <clear>, <disconnect>, <enumerate>, <exit>, <goto>, <if>,  
<prompt>, <reprompt>, <return>, <script>, <submit>, <throw>, <value>, <var>
```

## Extensions

None.

## Limitations/Restrictions

None.

## Example Code

```
<?xml version="1.0"?>
<vxml version="2.0" xmlns="http://www.w3.org/2001/vxml">
  <error>
    <prompt>An error has occurred.</prompt>
    <exit/>
  </error>
  <form>
    <block>
      <audio expr="directory+'badaudio.wav'"/>
    </block>
  </form>
</vxml>
```

From:  
<https://wiki.voximal.com/> - **Voximal documentation**

Permanent link:  
[https://wiki.voximal.com/doku.php?id=legacy:vx\\_i\\_developer\\_guide:voicexml\\_references:elements:error](https://wiki.voximal.com/doku.php?id=legacy:vx_i_developer_guide:voicexml_references:elements:error)

Last update: **2017/07/28 23:53**

