

< var >

Description

The <var> element declares a variable in the scope of its parent element. If the variable is already defined in the current scope, further declaration is treated as value assignments.

Syntax

```
<var  
name="String"  
expr="ECMAScript_Expression"/>
```

Attributes

name	The name attribute defines the name of the variable. This attribute is required.
expr	The expr attribute is the initial value of the variable. This attribute is optional and defaults to undefined.

Parents

```
<block>, <catch>, <error>, <filled>, <form>, <help>, <if>, <noinput>,  
<nomatch>, <vxml>
```

Children

None.

Extensions

None.

Limitations/Restrictions

None.

Example Code

```
<?xml version="1.0"?>
<vxm version="2.0" xmlns="http://www.w3.org/2001/vxml">
<var name="world" expr="'world'"/>
<form>
<field name="hello">
<grammar>hello | goodbye</grammar>
<help>Just say hello</prompt>
<prompt>Say hello</prompt>
<noinput>Say something</noinput>
<filled>
<prompt>Hello,
<value expr="world"/>!
</prompt>
</filled>
</field>
</form>
</vxm>
```

From:
<https://wiki.voximal.com> - Voximal documentation

Permanent link:
https://wiki.voximal.com/doku.php?id=legacy:vxi_developer_guide:voicexml_references:elements:var

Last update: 2017/07/28 23:53

