

FreePBX

[Home](#) >



- **Web site** : www.freepbx.com
- **Contact support** : [FreePBX support](#)

FreePBX is an easy-to-use GUI (Graphical User Interface) that controls and manages Asterisk.



FreePBX Installation

FreePBX can be installed manually or as part of a pre-configured FreePBX Distro that includes the system OS, Asterisk, FreePBX GUI and assorted dependencies:

The following open source distributions include FreePBX:

- [The Official FreePBX Distro](#)
- [PBX in a Flash](#)
- [AsteriskNOW](#)
- [Elastix](#)

Over this installation, you add the VoiceXML browser following the “VoiceXML browser Installation” steps. The package detects the freePBX (and Elastix) folders and add the corresponding modules. You need to finish the installation from the Web Interface following this next steps.

NOTE:

The FreePBX integration is only available for **V12** and after VXI* VoiceXML browser releases.

Module installation

NOTE:

To access FreePBX in Elastix you have to enable Direct access from Security >Advance Setting.

Enable direct access (Non-embedded) to FreePBX : ON

Open the Browser, access URL https://your_pbx_ip_address/admin

Step 1

Go to the Admin menu and select Module Admin items.



Step 2

You see a list of all the module Installed or available. The VoiceXML should be in the Application section. Its status is uninstalled.



Step 3

Select Action : 'Install', validate with 'Progress' and confirm the installation.



Step 4

To avoid a Message Warning associated to unsigned applications, you need to disable an option Enable Module Signature Module : set 'False' and validate.



VoiceXML Module

VoiceXML Settings (Settings)

The form configure main VoiceXML general parameters.

- **Record silence** : When the record start, keep or remove the silence before the voice of the speaker.
- **Threshold** : Adjust the sensibility of the VoiceActivityDetection used by the VoiceXML module.
- **WAV default codec** : When the VoiceXML browser set encoding "audio/x-wav", define the codec used with the Wav Container.
- **Debug** : Enable the VoiceXML logs (for the VoiceXML Asterisk Module, and for the VoiceXML browser with verbosity DEV).
- **Priority Events** : If mixed DTMF grammars with single DTMF keys and long DTMF inputs, set if after the first digits (events) the VoiceXML should return a value or if it should wait for possible long length input.
- **Dial format** : String format parameter to set the asterisk Dial() parameter with the <transfer> destination attribute. Example: SIP/%s@sip_trunk.
- **Cache timeout** : Remove Temporary TextToSpeech audio files after this time.



VoiceXML License (Settings)



VoiceXML Statistics (Reports)



VoiceXML Log Files (Reports)



VoiceXML Application (Application)



Configuration example

Create a new VoiceXML application. Select Menu Application and item VoiceXML. Fill the Application form like this :



To be able to execute The VoiceXML Application, you can set use a Misc Application to define a Feature Code to be able to call this service locally from any Extension Phone. Another way is to define in a SIP trunk configuration to set the VoiceXML application too.



From:

<https://wiki.voximal.com/> - **Voximal documentation**

Permanent link:

https://wiki.voximal.com/doku.php?id=vxi_installation_guide:freepbx:start&rev=1423595158

Last update: **2017/07/28 22:29**

