

Dialogflow

Integrate voxibot with chatbot:


It is a google engine that we use to create our chatbot and to integrate this chatbot with our voxibot service.to create chatbot service there is no big difference between Google chatbot and Watson chatbot or either another engine.

Note : every step you do be sure to save the changes SAVE .

Our chatbot here will be based on Dialogflow

At begin, to start your Dialogflow you need a google account. Once you have a google account you can start your project to build chatbot.

1. Enter https://dialogflow.com/ click on **sign up for free** then go to **google** icon, **sign in** with your email and password. Then click sign in you will see as below



2. First of all, create an agent is the first step for building chatbot in Dialogflow.

Last update: 2018/06/05 developer_guide:voxibot_dialogflow https://wiki.voximal.com/doku.php?id=developer_guide:voxibot_dialogflow&rev=1528207757 14:09




3. let's start with a small step which activates a **small talk** which already exists.

Dialogflow		🗇 Small Talk 3 📫 🔤	
kari -	0 +	Your agent canceleare how to support small task without any extra-development, By-default, it will respond with predefined phrases, size the form-bolow to-contential requestors to the most against requests.	Phase use hert conside above to its a service.
in the second	+	mart mo are put Agent: Annar a shape. There entiting.	10000
A DING	+	inar: Paris a name. Agent: Daniel The Perloy is extend.	Bee fow it works in boogle wasimary. (7)
h Falliment	2	() · · · · · · · · · · · · · · · · · ·	
C magazoni		Bread Talk Customization Progress In	
O Taing		D About agent	
S Midley		D. Aveter	
indjin .		Courtery m	
Telalitaria	1	🗅 Enciosa 🦳 m	
🖗 smal tak		Helo/Leodive 0	

4. Create chatbot (intent, entities, and response), we will make a simple example to explain how to start with the first chatbot.

a. Creating entities specify a **name** for this entity and insert your entities which are expected from the users



b. create your intents, choose a **name** to distinguish your intent, in **Training phrase** put the questions that you expect from users. Then scroll down to **responses** here we will insert the answers to previous questions.

Dialogflow	openRestaurant C 2
- 0	
• +	Training phrases
Entries A	77 Add caser expression 3
Fulfilment	59 does 1000 citem ?
2 Integrations	77 does jesto paeri ?
Training	99 opening hours ?
History	99 when does extauraet does ?
a Analytics	** ***********************************
Prebuilt Agents	Action and parameters @
3 Small Talk	
Docs	Responses @
Forum	DEFNAT +
5 Support	Text response 4 @ D
Account	1 the restaurant working hours are from 9 am to 10 pm, exept sunday from 12 pm to 8 pm.

5. At the end we need to have our credential to connect it with our voxibot by the main files root and conversation_Dialogflow

There are two access tokens for each agent. The developer access token is used for managing entities and intents, and the client access token is used for making queries

Dialogflow 1	Test1
Teefl · 💿	General Languages MLStratege Expert and Import Share
🗇 varas 🛛 +	DESCRIPTION Concilie non apert
A Entries +	CEFNELT TIME 20NE
C Integrations	(dard*x3x1) Europe walking and - Deals and time requests are reactived using this timescare.
 Training History 	0000LEPROJECT Project ID Hell 100ab
Analytics Probuilt Agents	APVUNICEN
🗇 Small Talk	 V2.API Use Couct API as default for the agent: Your webhoole will receive V3 format requests and should return V2 format responses.
> Dece	V1 API Logacy APis
() Support	APTREPS (VI) 2 Dert access later
Account Logost	Developer access takes experimental products and an and a constrained and a constrai

From: https://wiki.voximal.com/ - Voximal documentation

Permanent link: https://wiki.voximal.com/doku.php?id=developer_guide:voxibot_dialogflow&rev=152820775

Last update: 2018/06/05 14:09

