

# Debug commands

## Enable Voximal module traces

Execute :

```
CLI> voximal debug
```

## Enable Voximal interpreter traces

Execute :

```
CLI> voximal debug interpreter
```

## Generate a normal stop

Clean stop of the Voximald process :

```
root# /usr/sbin/voximalc -local 2 -distant 1 -mode 2

Command-line arguments :
[-key id] [-local id] [-distant id] [-send message] [-mode 0..3]
To send one message, set mode to 0
To receive messages in loop, set mode to 1
To work in request/response, set mode to 2
To send messages in loop, set mode to 3

> exit
< exit|result=ok
```

## Valgrid using

The Asterisk module launch the interpreter by default, you need to disable it to be able to run the voximald process with Valgrid.

To disable the Voximal launch from the Asterisk module edit and add this option in the voximal.conf :

```
[general]
...
launcher=no
...
```

Start the voximald process with Valgrid :

```
#root valgrind --tool=memcheck --leak-check=full --log-file="logfile.out"  
/usr/sbin/voximald -channels 1 -config /etc/openvxi/client.cfg -user  
asterisk -group asterisk
```

And run the Asterisk.

```
asterisk -cvvvvv -U asterisk -G asterisk -g
```

From:  
<https://wiki.voximal.com/> - Voximal documentation



Permanent link:  
[https://wiki.voximal.com/doku.php?id=installation\\_guide:debug:start&rev=1484087981](https://wiki.voximal.com/doku.php?id=installation_guide:debug:start&rev=1484087981)

Last update: **2017/01/10 22:39**